



ISSN: 2456-4419

Impact Factor: (RJIF): 5.18

Yoga 2019; 4(1): 1396-1398

© 2019 Yoga

www.theyogicjournal.com

Received: 12-03-2019

Accepted: 14-04-2019

Dalbir Singh

Research Scholar, Kurukshetra
University, Kurukshetra,
Haryana, India

Dr. Usha Rani

Professor, Department of
Physical Education,
Kurukshetra University,
Kurukshetra, Haryana, India

Analysis of forced vital capacity of spat players belong to Haryana

Dalbir Singh and Dr. Usha Rani

Abstract

The purpose of the study was to investigate the effect of training on respiratory profile of SPAT players. For this purpose PC based mini Spiro meter was used to determine the significant difference in variable forced vital capacity (FVC) of Experimental and Control group of SPAT players post training period.

The scholar selected 206 SPAT players (103 Experimental and 103 Control group subjects) having their ages ranging from 10 to 14 years from various sports Nursery of district Kaithal of Haryana state. The subjects were divided into Experimental Group and Control group having 103 subjects each. The experimental group was provided 10 weeks interval training program. The responses of the respiratory parameters were recorded by using pc based mini spirometer. The Post training data was collected. The difference among the means of the variance of the Experimental and Control group of SPAT players post training period means were determined by ANOVA test.

The result shows that the integrated approach of training of SPAT players significantly increased the FVC (Forced Vital Capacity) between experimental and Control group.

Keywords: SPAT, SPEED, COPD, Spirometry, FVC.

Introduction

SPAT (Sports & Physical Aptitude Test) now known as SPEED (Sports and Physical Exercise Evaluation and Development Test) in Haryana has grown into a popular movement. The program aims at popularizing sports and channeling resources to high potential athletes. The vision is to harness community building, preventive health ware and counter-delinquency potential of sports. 5000 Scholarships are on offer in every version of SPAT for aspiring athlete in 8-19 years age group. Haryana state players are performing outstanding at International level though it has just about 3% of population of India. To investigate the effect of SPAT a talent hunts in the performance of Haryana players, the investigator selected this study.

Sports & Physical Activity Test is a battery of seven physical tests of running, jumping, throwing, and stretching for boys and girls in 8-19 years of age group. The tests are:

- 30 meter flying race
- 6x10 meter shuttle Race
- 800 meter run
- Standing Broad Jump
- Standing Vertical Jump
- Medicine Ball Put
- Forwards Bend & Reach

Spirometry is a common test used to assess how well your lungs work by measuring how much air you inhale, how much you exhale and how quickly you exhale. Till now the pulmonary function of SPAT is insufficiently investigated.

Spirometry is used to diagnose chronic obstructive pulmonary disease (COPD), asthma and other conditions that affect breathing. Spirometry may also be used periodically to monitor your lung condition and check whether a treatment for a chronic lung condition is helping you breathe better.

Corresponding Author:

Dalbir Singh

Research Scholar, Kurukshetra
University, Kurukshetra,
Haryana, India

The spirometry tests are mostly used in the respiratory status evaluation, and they have become a basic part of the routine health checks in occupational medicine, sports medicine, public health status monitoring and clinical practice.

Although lung function is genetically regulated, and its function is among other influenced by the environmental and alimentary factors, previous research show that it can be improved by bodily exercise, as well as the fact that it is influenced by the type of the sport.

It is therefore important to ascertain the analysis in spirometry parameters of SPAT players. They represent an indirect indicator of the aerobic abilities, which are an important factor in realising the individual and team achievement in those sports

Methods

The main aim of this study was to analyse the pulmonary function of SPAT qualified players. The research was conducted on a sample of 206 examinees of SPAT who choose various games like Volleyball, Hockey, Handball, Swimming; boxing etc as their professional game. The dynamic spirometry research was conducted in concordance with Kurukshetra University Kurukshetra by using a portable spirometer PC Based Spirometer. The examinees sat with their nose plugged, performing three forced expiratory manoeuvres. The best of three repeated forced expiratory measures was used in the analysis. Pulmonary measures included:

- forced vital capacity (FVC), measuring the largest amount of air that can be maximally expired after a maximum inspiration;

All values are expressed as percentages of reference (predicted) values for European adults.

3. Results and discussion

3.1 forced vital capacity (FVC)

Table 1: Forced vital capacity (FVC)

Groups	Count	Sum	Average	Variance
Post Experimental Group (FVC)	103	286.81	2.78	0.47
Post Control Group (FVC)	103	257.89	2.50	0.57

Table 2: ANOVA

Source of Variation	SS	df	MS	F	P-value	F crit
Between Groups	4.06	1	4.06	7.78	0.01	3.89
Within Groups	106.51	204	0.52			
Total	110.57	205				

Conclusion

Based on the findings of this study, the following conclusions have been drawn:

- SPAT experimental group players significantly improved in the FVC (Forced Vital Capacity) as compared to control group.

References

1. Berdejo-del-Fresno D. Fitness seasonal changes in a first division English futsal team. *African J Basic Appl Sci.* 2012; 4(2):49-54.
2. Mozella Munhoz G, Mazotti M, Luiz dos Santos A, Gimenes C, Munhoz Manzano R. Evaluation of pulmonary function and chest expansion in indoor soccer players. *Rev Inspirar.* 2012; 4(20):1-5.
3. MN Chatterjea, Shinde R. "Vitamins, Text Book of

Biochemistry," Jaypee Brothers Medical Publishers, New Dehli, 2005, 144.

4. American Thoracic Society, "Standardization of Spirometry, 1994 Update. American Thoracic Society," *American Journal of Respiratory and Critical Care Medicine.* 1995; 152(3):1107-1136.
5. Tercan M, Bekerecioglu M, Dikensoy O, Kocoglu H, Atik B, Isik D, *et al.* "Effects of Abdominoplasty on Respiratory Functions: A Prospective Study," *Annals of Plas-tic Surgery.* 2002; 49(6):617-620.
6. Oberholzer HM, Pretorius E. "The Role of Vitamins and Minerals in the Alleviation of Asthma Symptoms," *Early Child Development and Care.* 2010; 180(7):913-920.
7. Castelo Filho AL, Kritski, Barreto AW, Lemos ACM, Ruffino Netto A, Guimarães CA, *et al.* "II Con-senso Brasileiro de Tuberculose. Diretrizes Brasileiras para Tuberculose 2004," *Jornal Brasileiro de Pneumo-logia.* 2004; 30(1):S2-S56.
8. Fernandes TM. "Sole Trevas: Histórias Sociais da Tu-berculose Brasileira," *História, Ciências, Saúde-Manguin-hos.* 2004; 11(3):767-771.
9. Murray JF. "A Century of Tuberculosis," *American Jour-nal of Respiratory and Critical Care Medicine.* 2004; 169(11):1181-1186.
10. Gazetta CE, Vendramini SHF, Ruffino-Netto A, Oliveira MRC, Villa TCS. "Estudo Descritivo So-bre a Implantação da Estratégia de Tratamento de Curta Duração Diretamente Observado no Controle da Tuber-culose em São José do Rio Preto e Seus Impactos (1998-2003)," *Jornal de Pneumologia.* 2007; 33(2):192-198.
11. Gomes Neto ML, Medeiros, JM M, Gifoni. "Bronquiectasia Localizada e Multissegmentar: Perfil Clínico Epidemiológico e Resultado do Tratamento Cir-úrgico de 67 Casos," *Jornal de Pneumologia.* 2001; 27(1):1-6.
12. Guerra MS, Miranda JA, Leal F, Vouga L. "Tra-tamento Cirúrgico Das Bronquiectasias," *Revista Portu-guesa de Pneumologia.* 2007; 13(5):691-701.
13. Balkanli K, Genç O, Dakak M, Gürkök S, Gözü-buyuk A, Çaylakat H, *et al.* "Surgical Management of Bronchiectasis: Analysis and Short-Term Results in 238 Patients," *European Journal Cardiothoracic Surgery.* 2003; 24(5):699-702.
14. Saad Jr R, Garrido T, Stırbulov R, Rafal F. "Ava-liação da Função Respiratória de Doentes Submetidos à Operação Abdominal Alta," *Rev. Col. Bras. Cir.* 1994; 21(6):329-332.
15. Pinto MR. "Estudo Comparativo da Função Pulmo-nar em Pacientes Pós-Revascularizados do Miocárdio, com CEC e sem CEC, com uso de Derivação Intralu-minal. Tese [Doutorado]," Faculdade de Ciências Mé-dicas da Santa Casa de Misericórdia de São Paulo, São Paulo, 1999.
16. Helene Jr. "Avaliação da Função Respiratória em In-divíduos Submetidos à Abdominoplastia. Tese [Dou-torado]," Faculdade de Ciências Médicas da Santa Casa de Misericórdia de São Paulo, São Paulo, 2005.
17. Perin LF. "Avaliação Espirométrica de Indivíduos Sub-metidos à Dermolipectomia Abdominal. Tese [Mestra-do]," Faculdade de Ciências Médicas Santa Casa de Misericórdia de São Paulo, São Paulo, 2007.
18. American Thoracic Society, "Standardization of Spi-ro-metry, 1994 Update. American Thoracic Society," *Ame-rican Journal of Respiratory and Critical Care Medicine.* 1995; 152(3):1107-1136.

19. Pereira AC. “Testes de Função Pulmonar. Projeto Diretrizes. Associação Médica Brasileira e Conselho Federal de Medicina, 2001.
20. Helene Jr. “Avaliação da Função Respiratória em Indivíduos Submetidos à Abdominoplastia. Tese [Doutorado],” Faculdade de Ciências Médicas da Santa Casa de Misericórdia de São Paulo, São Paulo, 2005.
21. Tercan M, Bekerecioglu M, Dikensoy O, Kocoglu H, Atik B, Isik D, *et al.* “Effects of Abdominoplasty on Respiratory Functions: A Prospective Study,” *Annals of Plastic Surgery*. 2002; 49(6):617-620.
22. Kumar A, Pannu BK, Manchanda KC, *et al.* Pulmonary function tests in healthy male Punjabi children (10-19 years of age). *Indian J Chest Dis Allied Sci*. 1992; 34:191-5.
23. Langhammer A, Johnsen R, Gulsvik A, *et al.* Forced spirometry reference values for Norwegian adults: the Bronchial Obstruction in Nord-Trondelag Study. *Eur Respir J*. 2001; 18:770-9.
24. Sheetal Panwar. Effect of pranayama on pulmonary function test of young healthy students – *Int J Pharm Bio Sci*. 2012; 3(4)(B):12-16. ISSN-0975-6299.