



ISSN: 2456-4419

Impact Factor: (RJIF): 5.18

Yoga 2022; 7(1): 205-209

© 2022 Yoga

www.theyogicjournal.com

Received: 09-01-2022

Accepted: 12-02-2022

Vishal Sinha

Department of Physical
Education & Sports sciences,
Vinay Bhavan, Visva-Bharati
University, Santiniketan, West
Bengal, India

Dr. Mahesh S Khetmalis

Associate Professor
Department of Physical
Education & Sports sciences,
Vinay Bhavan, Visva-Bharati
University, Santiniketan, West
Bengal, India

Effect of Yoga Nindra on psychological parameters of mood on school level male sports person

Vishal Sinha and Dr. Mahesh S Khetmalis

DOI: <https://doi.org/10.22271/yogic.2022.v7.i1c.1294>

Abstract

The purpose of the study was to find out the Effect of Yoga Nindra on Selected Psychological Parameters of School Level Sports Person. Yoga Nindra is a form of active meditation. It is a kind of deep sleep in which you don't lose consciousness. Yoga Nindra is a form of meditation and exercise that connects the mind and the body in a self-guided healing process. The use of Yoga Nindra has increased over the past 10 years. Studies have found the benefits of Yoga Nindra for decreasing depression and anxiety. Yoga Nindra is one such effective technique, not only for physical or mental relaxation but also for preparing the mind for yogic discipline. Yoga Nindra aims to focus the mind to achieve relaxation and increase wellness. Researches also indicate that Yoga Nindra can be used as a therapeutic technique to cure psychological disorders like anxiety, hostility, insomnia etc, and psychosomatic diseases like asthma, coronary heart disease, cancer, hypertension etc.

Keywords: Yoga Nindra, meditation, consciousness, depression, anxiety, therapeutic technique, psychological disorders, hostility, insomnia, hypertension, anger, confusion, depression, fatigue, tension and vigor

1. Introduction

Yoga acts preventive measures to disease by reducing stress level, keeping the internal organs toned and healthy and maintaining a balanced equilibrium between the physical, mental and spiritual level. The modern yogi B.K.S. Iyengar describes *yoga* in this way “*Yoga* is an art, a science and a philosophy. It touches the life of man at every level, physical, mental, and spiritual. It is a practical method for making one's life purposeful, useful and noble.

1.1 Yoga nindra

The term Yoga Nindra means yogic or psychic sleep. It is a state of consciousness between waking and sleeping, induced by a guided meditation. It is said that the history of Yoga Nindra is as old as Yoga itself, as it is mentioned as early as the Upanishads. It is a kind of deep sleep in which you don't lose consciousness. Yoga nindra, also known as dynamic sleep, prompts the body to relax deeply while the mind remains inwardly alert. Yoga nindra along with other advanced medical procedures has been potentially used in the management of many psychosomatic disorders such as menstrual irregularities, cancer, asthma, peptic ulcer. Many research studies indicate that yoga nindra can be used as a therapeutic technique to cure psychological disorders like anxiety, hostility, insomnia etc, and psychosomatic diseases like asthma, coronary heart disease, cancer, and hypertension.

Yoga Nindra is a successful therapy for both recent and longstanding psychological disturbances of all kinds, especially high anxiety levels and neurotic behavior patterns. Yoga nindra is a state in which the body is completely relaxed, and the practitioner becomes systematically and increasingly aware of the inner world by following a set of verbal instructions. It is said that the history of yoga nindra is as old as yoga itself, as the first mention of yoga nindra is in the Upanishads. Lord Krishna is associated with yoga nindra in the epic Mahabharata:

[The Ocean] becomes the bed of the lotus-naved Vishnu when at the termination of every Yuga that deity of immeasurable power enjoys yoga-nindra, the deep sleep under the spell of spiritual meditation.

(Mahabharata, Book 1, section XXI)

Corresponding Author:

Vishal Sinha

Department of Physical
Education & Sports sciences,
Vinay Bhavan, Visva-Bharati
University, Santiniketan, West
Bengal, India

2. Methodology

2.1 Selection of Subjects

The purpose of the study was to find out the Effect of Yoga Nindra on Selected Psychological Parameters of School Level Sports Person. To achieve this purpose of the study total of 80 male and female student subjects were selected from the different CBSE schools from the Bolangir district of Odisha. Only those students were selected in this study who willing to participate in the experimental study and having a sports background or participated at least intra school level competition were included in this study. All the students were studying in the classes of IX-XII. The age of subjects was ranged between 13 to 18 years and all the students were followed similar routine of diet, work, rest, and sleep etc. All of them participated in the regular activities in accordance with the requirement of the institution school curriculum.

Subjects were divided into two groups of 40 each with 20 male and 20 female in each groups. The subjects were informed about the purpose of the study. Further, they were also informed that the data will remain confidential and will not be used beyond any academic purpose.

The selection and dividing them randomly into two groups are also explained with the help of Table -1

Table 1: The Selection and dividing them randomly into two groups

Yoga Nindra Group 1		Controlled Group 2	
Male	Female	Male	Female
20	20	20	20

2.2 Design of Study

Pre-test-Post-test random design was used for two groups in which were depicted below:

Group 1: O (1) T (Yoga Nindra) O (2)
Group 2: O (1) No Treatment O (2)

2.3 Instrument and tools Used

Present study was based on the treatment (YogaNindra) given to the groups of Male and Female students for the purpose of finding out the Effect of Yoga Nindra on Selected Psychological Parameters of School Level Sports Person, following variables were selected:

2.3.1 Psychomotor Variables

a.) Mood

Further, the mood is sub classified as:

1. Anger 2. Confusion 3. Depression 4. Fatigue 5. Tension 6. Vigor

3. Testing Techniques

Brunel Mood Scale (BRUMS) - The Brunel Mood Scale (BRUMS; Terry *et al.*, 1999, 2003) developed to provide a quick assessment of mood states for adolescents and adults. The BRUMS is derived from the Profile of Mood States. It is a 24-item questionnaire of simple mood descriptors such as angry, nervous, unhappy, and energetic. The BRUMS has six subscales, with each of the subscales containing four mood descriptors. The subscales are anger, confusion, depression, fatigue, tension, and vigor.

Respondents indicate the extent to which they have experienced the feelings described by the 24 mood descriptors. Responses are recorded using a 5-point, where '0' = 'Not at all', '1' = 'A little', '2' = 'Moderately', '3' = 'Quite a bit', and '4' = 'Extremely'. The standard reference timeframe used is "How you feel right now", although a variety of other reference time periods can be used. The BRUMS has been

shown to be a valid and reliable measure of mood in several scientific studies. The average completion time of the BRUMS is 1 to 2 minutes.

To assess psychological mood components the investigator has explained subjects about the purpose of investigation and gave clear instruction regarding the method of answering the questionnaires. The investigator distributed the questionnaires along with a pen for marking their responses. The subject went through the instructions, read each statement carefully and indicated the responses. Investigator told the Subjects not to omit any items in the questionnaires. The doubts raised by the subjects were clearly explained by the investigator. No time limit was given for filling up the questionnaires. But the subjects were asked to respond as quickly as possible. All the filled in questionnaires were collected from the subjects and scored according to the scoring key. The total scores obtained were tabulated and statistically treated to arrive at meaningful conclusion.

4. Technique and Administration of Yoga Nindra

Conduct of *yoga nidra* session was done in a sound proof room, with minimal ambient lighting during daytime. The subject was made to lie in the supine posture on a comfortable mattress. The entire session was done in *shavasana* (*shava* means "corpse" and *asana* means "posture"). The posture used for this asana is lying on the back, the arms and legs are kept at about 45° with the palms facing upwards. This posture minimizes the contact points especially between the limbs of the body. Subjects were assembled in the class room which was provided by the school management. Clear instruction was given by the researcher for effective Yoga Nindra before start of the every session. The researcher told to the participants tries to lie down or sit any comfortable position for taking Yoga Nidra. Students adjust everything, including their body, Position and clothes, until they are completely comfortable. During Yoga Nidra there was no physical movement, subjects close their eyes, until they were told to open them. Researcher told them to give an instruction for take a deep breath in and breathe out for feel the cares and worries of the day flow out of them.

The subject lies in posture used for *shavasana*. The mind is then instructed to focus on external sounds and move from one sound to another. With this, the mind becomes calm and this method of calming is called *antar mouna*. The *antar mouna* is important to prepare the individual for *yoga nidra*. At no time one should force the subject to stop thinking about the different sensations. Forcibly stopping thinking about sensations can create restlessness. While slowly concentrating on the different sensations and then moving on, creates the right preparation required for later steps.

5. Procedure of Collection of Data

A total of 80 male and female student subjects were selected from the different CBSE schools from the Bolangir district of Odisha. Only those students were selected in this study who willing to participate in the experimental study and having a sports background or participated at least intra school level competition were included in this study. All the students were studying in the classes of IX-XII. The age of subjects was ranged between 13 to 18 years and all the students were followed similar routine of diet, work, rest, and sleep etc. All of them participated in the regular activities in accordance with the requirement of the institution school curriculum. Subjects were divided into two groups of 40 each with 20 male and 20 female in each groups.

The questionnaire to assess Mood and Memory was distributed to the students and immediately after the filling the questionnaire, it was taken back. The subjects were requested to give their own and true opinion and the investigator was assured to the respondents that the information given by them would be kept confidential with him and utilized for the purpose of this study only. The investigator was explained subjects about the purpose of investigation and gave clear instruction regarding the method of answering the questionnaires. The investigator distributed the questionnaires along with a pen for marking their responses. The subject went through the instructions, read each statement carefully and indicated the responses. Investigator told the Subjects not to omit any items in the questionnaires. The doubts raised by the subjects were clearly explained by the investigator. No time limit was given for filling up the questionnaires. But the subjects were asked to respond as quickly as possible. All the filled in questionnaires were collected from the subjects and scored according to the scoring key. The total scores obtained were tabulated and statistically treated to arrive at meaningful conclusion.

6. Training Program

Group-1 was given Yoga Nindra treatment on alternatives days for Boys and Girls group separately. The timing of treatment was same 11:10 AM to 11:30 AM. Controlled group given no treatment. Further, the planning for treatment of Yoga Nindra to group 1 has been described in the table -2

Table 2: The planning for treatment of Yoga Nindra to group 1 has been described

Yoga Nindra Treatment for Group-1			
Sr. No.	No. of Subjects	Timings	Days
1.	Female Students	11:10 to 11:30	Monday, Wednesday, Friday
2.	Male Students	11:10 to 11:30	Tuesday, Thursday, Saturday

7. Analytical Procedure

- To determine the level of Mood in the students of Physical Education & to find out the effect of Yoga Nindra on Mood on the Physical Education Students mean and standard deviation were calculated.
- To compare the effect of Yoga Nindra on Mood between male and female subjects 't' test were used.

8. Analysis and Findings of the data

Table 3: Control Group Boys

Paired Descriptive Statistics					Paired T-test			
	Mean	N	S. D	S.E Mean	Mean	S. D	DF	Sig
Pre-Anger	3.10	20	0.78	0.17	0.50	1.90	19	0.25
Post-Anger	2.60	20	1.84	0.41				
Pre-Confusion	3.00	20	1.68	0.37	1.15	1.84	19	0.01
Post-Confusion	1.85	20	1.81	0.40				
Pre-Depression	3.10	20	1.77	0.39	1.30	2.43	19	0.02
Post-Depression	1.80	20	1.85	0.41				
Pre-Fatigue	4.50	20	3.48	0.77	0.65	4.54	19	0.53
Post-Fatigue	3.85	20	2.51	0.56				
Pre-Tension	3.20	20	2.09	0.46	-0.05	3.70	19	0.95
Post-Tension	3.25	20	2.98	0.66				
Pre-Vigor	10.55	20	4.71	1.05	-2.10	6.56	19	0.16
Post-Vigor	12.65	20	3.18	0.71				

Table – 3. showed the paired wise descriptive statistics and paired T-test of mood and its components that are anger, confusion, depression, fatigue, tension, and vigor between pre and post-test control group boys without any training. From this table it was observed that mean score was decreased in post-test. Whereas the vigor is increased. But the mean difference between pre and post-test was not significant in anger, fatigue, tension, and vigor as the p-value is greater than 0.05. Whereas confusion and depression found significant difference as the p-value is less than 0.05




Fig 1: Graphical Representation of mood control group boys

Figure-1 shows that there were decreased in post-test mean score of mood and its components e.g., anger, confusion,

depression, fatigue and tension but the vigor increased in post-test mean score.

Table 4: Experimental Group boys

Paired Descriptive Statistics					Paired T-test			
	Mean	N	S. D	S.E Mean	Mean	S. D	DF	Sig
Pre-Anger	4.80	20	2.09	.46	3.25	2.33	19	0.00
Post-Anger	1.55	20	1.23	.27				
Pre-Confusion	3.20	20	1.47	.32	2.00	1.94	19	0.00
Post-Confusion	1.20	20	1.05	.23				
Pre-Depression	3.30	20	2.31	.51	2.90	2.63	19	0.00
Post-Depression	.40	20	.82	.18				
Pre-Fatigue	4.30	20	1.75	.39	1.90	2.02	19	0.00
Post-Fatigue	2.40	20	1.31	.29				
Pre-Tension	3.65	20	1.87	.41	1.85	2.41	19	0.00
Post-Tension	1.80	20	1.28	.28				
Pre-Vigor	11.10	20	3.93	.87	1.55	4.75	19	0.16
Post-Vigor	9.55	20	3.56	.79				

Table 4 revealed paired wise descriptive statistics and paired T-test of mood and its components that are anger, confusion, depression, fatigue, tension, and vigor between pre and post-test experimental group boys. After intervention of yoga nidra it was found that anger was reduced significantly ($p \leq 0.05$). In this study the researcher also found that depression reduced significantly ($p \leq 0.05$), fatigue reduced significantly ($p \leq 0.05$). Studies says that the yoga nidra integrated response by the hypothalamus resulting in decreased sympathetic nervous

activity (excitatory) and increased parasympathetic (relaxatory) function Yoga Nidra is the powerful technique to induce, which help to reduced tension (Dwivedi & Singh, 2016). Here researcher found the similar kind of result that yoga nidra compressed tension significantly as the as p-value is less than 0.05. Thus, the null hypothesis is rejected at the level of 0.05. Whereas the vigor was reduced but it was not significant because the p-value is greater than 0.05. So, the null hypothesis failed to reject.


**Fig 2:** Graphical Representation mean score of mood experimental group boys

Figure -2 it is clearly indicates that the mean score of mood and its components decreased after intervention of yoga nidra in boys.

9. Discussion of findings

The present study was conducted to find out the Effect of Yoga Nidra on Selected Psychological Parameters of School children. For this paired T-test were applied to find out the mean difference between pre and post-test. The results of the present study revealed that the Yoga Nidra of four weeks was an effective tool for improvement of mood and its components. It is understood that the Yoga Nidra is one such effective technique, not only for physical or mental relaxation but also for preparing the mind for yogic discipline. Yoga Nidra aims to focus the mind to achieve relaxation and increase wellness. Many research studies indicate that yoga Nidra can be used as a therapeutic technique to cure psychological disorders like anxiety, hostility, insomnia etc, and psychosomatic diseases like asthma, coronary heart disease, cancer, and hypertension.

After intervention of yoga Nidra it was found that anger was reduced significantly ($p \leq 0.05$), Research article also support that yoga nidra reduce or control over anger (Vaishnav,

Vaishnav, & Varma, 2018). According to Camila Ferreira-Vorkapic et.al mention in their article, that yoga nidra reduced depression (Vorkapic, Pinheiro, Marchioro, & Santana, 2018). And in this study the researcher also found that depression reduced significantly ($p \leq 0.05$). Fatigue and tension also reduced significantly in male students.

10. References

1. Banerjee DS. Effect of Yoga on the Memory of Middle School Level Students. *IOSR Journal of Research & Method in Education*, 2014, 49-52.
2. Dwivedi MK, Singh SK. Yoga Nidra as a Stress Management Intervention Strategy. *A Journal of Management, Ethics & Spirituality*. 2016.
3. Vaishnav BS, Vaishnav SB, Vaishnav VS, Varma JR. Effect of Yoga-nidra on Adolescents Well-being: A Mixed Method Study. *Int J Yoga.*, 2018, 245-248.
4. Vorkapic CF, Pinheiro CJ, Marchioro M, Santana D. The Impact of Yoga Nidra and Seated Meditation on the Mental Health of College Professors. *Int J Yoga*. 2018.
5. Gurmeet Singh, Jitender Singh Yoga Nidra: A deep mental relaxation approach *British Journal of Sports Medicine* Volume 44, Issue 1 hyperlink

"<http://dx.doi.org/10.1136/bjism.2010.078725.238>"

<http://dx.doi.org/10.1136/bjism.2010.078725.238>

6. Dr. Kamakhya Kumar A study of the improvement of Physical and Mental Health through “Yoga nidra” Research Gate Dev Sanskriti, 2006 Jun;05, 4(4).
hyperlink
"<https://www.researchgate.net/publication/215451321>"
<https://www.researchgate.net/publication/215451321>
7. Sharpe E, Tibbitts D, Wolfe B, Senders A, Bradley R. Qualitative Impressions of a Yoga Nidra Practice for Insomnia: An Exploratory Mixed-Methods Design. J Altern Complement Med. 2021 Jul, 15. Doi: 10.1089/acm.2021.0125. PMID: 34265219.